



*186 Iron Horse Court, Suite 101, Yakima, WA. 98901
Phone: (509) 834-2050 Fax: (509) 834-2060
Website: <http://www.yakimacleanair.org>*

PUBLIC NOTICE

YAKIMA REGIONAL CLEAN AIR AGENCY RECEIVED A NEW SOURCE REVIEW APPLICATION TO REPLACE AND OPERATE A NEW STEAM BOILER

Permit Applicant:
Welch Foods, Inc.
401 Grandridge Road
Grandview, WA 98930

Yakima Regional Clean Air Agency (YRCAA) has received a New Source Review (NSR) application from the above applicant to replace an older steam boiler with a new 600 Horsepower (Hp) boiler at the above location. Air emissions from this installation are in form of small Particulate Matters (PM₁₀ and PM_{2.5}) and Volatile Organic Compounds (VOCs) some of which are known to be Hazardous Air Pollutants (HAPs) and/or Toxic Air Pollutants (TAPs) in accordance with the Federal Clean Air Act (FCAA) and the Washington Administrative Code (WAC) 173-460-150, respectively.

The public may request a public comment period on the proposed action described above. Requests for a public comment period must be submitted to the YRCAA in writing via a letter to the agency's address listed on the letterhead above, or electronically at permits@yrcaa.org and must be received by the end of the business day June 28, 2022.

This Notice is published pursuant to the Washington Clean Air Act (RCW) 70A.15.2210 and section 173-400-171 of the Washington Administrative Code (WAC).



*186 Iron Horse Court, Suite 101, Yakima, WA. 98901
Phone: (509) 834-2050 Fax: (509) 834-2060
Website: <http://www.yakimacleanair.org>*

NOTICIA PÚBLICA

RECIBIÓ UNA NUEVA SOLICITUD DE REVISIÓN DE FUENTE PARA REEMPLAZAR Y OPERAR UNA NUEVA CALDERA DE VAPOR

SOLICITANTE DE PERMISO:

Welch Foods, Inc.
401 Grandridge Road
Grandview, WA 98930

Yakima Regional Clean Air Agency (YRCAA) ha recibido una solicitud de revisión de nueva fuente (NSR) del solicitante anterior para reemplazar una caldera de vapor más antigua con una nueva caldera de 600 caballos de fuerza (Hp) en la ubicación anterior. Las emisiones atmosféricas de esta instalación se realizan en forma de pequeñas partículas (PM10 y PM2.5) y compuestos orgánicos volátiles (COV), algunos de los cuales se sabe que son contaminantes peligrosos del aire (HAP) y / o contaminantes tóxicos del aire (TAP) de acuerdo con la Ley Federal de Aire Limpio (FCAA) y el Código Administrativo de Washington (WAC) 173-460-150, respectivamente.

El público puede solicitar un período de comentarios públicos sobre la acción propuesta descrita anteriormente. Las solicitudes de un período de comentarios públicos deben enviarse a la YRCAA por escrito a través de una carta a la dirección de la agencia que figura en el membrete anterior, o electrónicamente a permits@yrcaa.org y deben recibirse antes del final del día hábil 28 de junio de 2022.

Este aviso se publica de conformidad con la Ley de Aire Limpio de Washington. (RCW) 70A.15.2210 y sección 173-400-171 del Código Administrativo de Washington (WAC).