



*186 Iron Horse Court, Suite 101. Yakima WA 98901  
Phone: (509) 834-2050 Fax: (509) 834-2060  
Website: <http://www.yakimacleanair.org>*

---

## **PUBLIC NOTICE**

### **YAKIMA REGIONAL CLEAN AIR AGENCY DRAFT NEW SOURCE REVIEW ORDER OF APPROVAL PERMIT**

**Permit Applicant:**

Yakima Chief Hops, LLC  
Hops Processing Facility  
555W. South Hill Rd.  
Sunnyside WA. 98944

Yakima Regional Clean Air Agency (YRCAA) is seeking comments on a draft Order of Approval (Order/Permit) for a New Source Review (NSR) to modify one hundred (100) Steam Horsepower (Hp) boiler to use diesel as a backup fuel at the above location. The facility Estimated air emissions from this source are mainly in the form of Particulate Matters (PM<sub>10</sub> and PM<sub>2.5</sub>). Other air emissions are Oxides of Nitrogen and Sulfur (NO<sub>x</sub>, SO<sub>x</sub>), Carbon Monoxide (CO) and Hazardous or Toxic Air Pollutants (HAPs, TAPs) from the combustion process of the diesel and natural gas. Air emissions are within air emission standards pursuant to air regulations. The draft Order compiles the air quality requirements into one document and establishes monitoring and recordkeeping to ensure compliance with those requirements. The draft Permit may affect the type or quantity of air emissions from the facility, and does not authorize any increase in emissions above those already allowed by the regulation.

Copies of the draft Order and supporting material are available for review at the Agency's office.. Please call (509) 834-2050 for an appointment.

Written comments relating to the issuance of this permit must be received by close of business day of December 4, 2018 and must be submitted to:

Engineering, Compliance and Planning Division  
Yakima Regional Clean Air Agency

A public hearing may be held if the Agency determines that there is significant public interest. Request for a public hearing must be submitted within the comment period. Any such request for a public hearing must indicate the interest of the person or organization filing it, and describe why a hearing is necessary.

This Notice is published pursuant to the Washington Clean Air Act (RCW) 70.94.152 and section 173-400-171 of the Washington Administrative Code (WAC).